12485404035 RECEIVED -641 P02/21 U-227 CENTRAL FAX CENTER

JUL 1 5 2008

U.S.S.N. 10,811,621

Claim Amendments

Please amend claims 1 and 9 as follows:
Please cancel claims 17-20, 25 and 26 as follows:

RECEIVED
CENTRAL FAX CENTER
JUL 1 5 2008

U.S.S.N. 10,811,621

Listing of Claims

1. (currently amended) An electrolyte bath, comprising:

an electrolyte solution suitable for metal electroplating, said electrolyte solution contained in an electrolyte bath container; and

a composition comprising an organic acid and a nonionic polymer mixed with said organic acid, said non-ionic polymer selected from the group consisting of an alkoxylated alcohol, an alkoxylated amine, and an alkylphenol alkoxylate;

wherein said composition is disposed as a suspended layer within said electrolyte solution, said suspended layer spanning said electrolyte solution bath container, said suspended layer of sufficient dimension adapted to form a wetting layer on a substrate as said substrate is passed through said suspended layer into said electrolyte solution, said electrolyte bath adapted to form said wetting layer on said substrate prior to further comprising an anode to carry out an electroplating process in said electrolyte solution on said substrate comprising said wetting layer.

2. (previously presented) The electrolyte bath of claim 1 wherein said organic acid is selected from the group consisting of citric acid and acetic acid.

3. (canceled)

- 4. (previously presented) The electrolyte bath of claim 1 wherein said composition is present in said electrolyte solution in a concentration of about 5 % by weight.
- 5. (previously presented) The electrolyte bath of claim 1 wherein said non-ionic polymer has a molecular weight of less than 1,000.
- 6. (previously presented) The electrolyte bath of claim 5 wherein said organic acid is selected from the group consisting of citric acid and acetic acid.
- 7. (previously presented) The electrolyte bath of claim 1 wherein said organic acid is present in said composition in a wt.% of about 10, and wherein said non-ionic polymer is present in said composition in a wt.% of about 5.

- 8. (canceled)
- 9. (currently amended) An electrolyte bath, comprising:

an electrolyte solution suitable for copper electroplating, said electrolyte solution contained in an electrolyte bath container; and

a composition comprising an organic acid and a non-ionic polymer having a molecular weight of less than 1,000 mixed with said organic acid, said non-ionic polymer selected from the group consisting of an alkoxylated alcohol, alkoxylated amine, and an alkylphenol alkoxylate, said organic acid selected from the group consisting of citric acid and acetic acid;

wherein said composition is disposed as a suspended layer within said electrolyte solution, said suspended layer spanning said electrolyte solution bath container, said suspended layer of sufficient dimension adapted to form a wetting layer on a substrate as said substrate is passed through said suspended layer into said electrolyte solution, said electrolyte bath adapted to form said wetting layer on said substrate prior to further comprising an anode to carry out an electroplating

process in said electrolyte solution on said substrate comprising said wetting layer.

- 10. (canceled)
- 11. (canceled)
- 12. (previously presented) The electrolyte bath of claim 9 wherein said composition is present in said electrolyte solution in a concentration of about 5% by weight.
- 13. (previously presented) The electrolyte bath of claim 9 wherein said organic acid is present in said composition in a wt.% of about 10, and wherein said non-ionic polymer is present in said composition in a wt.% of about 5.

Claims 14-16 (canceled)

Claims 17-20 (canceled)

21. (previously presented) The electrolyte bath of claim 1, wherein said non-ionic polymer is present in said composition in a quantity of from about 0.5 to about 10 wt. %.

- 22. (previously presented) The electrolyte bath of claim 1, wherein said organic acid is present in said composition in a quantity of from about 2 to about 20 wt. %.
- 23. (previously presented) The electrolyte bath of claim 9, wherein said non-ionic polymer is present in said composition in a quantity of from about 0.5 to about 10 wt. %.
- 24. (previously presented) The electrolyte bath of claim 9, wherein said organic acid is present in said composition in a quantity of from about 2 to about 20 wt. %.
 - 25. (canceled)
 - 26. (canceled)